AD

SOLID PROPELLANT COOL GAS GENERATOR

by

THOMAS Q. CICCONE JAMES F. KOWALICK

June 1965

AMCMS Code 5900.22.01105.01

Doc reference and



AD 61030

FRANKFORD ARSENAL PHILADELPHIA, PA.

DDC AVAILABILITY NOTICE

Qualified requesters may obtain copies of this report from Defense Documentation Center, Cameron Station, Alexandria, Va. 22314

Reproduction of this document in whole or in part is permitted for any purpose of the United States government.

Release to CFSTI is authorized.

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

AD 616888

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION, CFSTI INPUT SECTION 418.11

LIMITATIONS IN REPRODUCTION QUALITY OF TECHNICAL ABSTRACT BULLETIN DOCUMENTS, DEFENSE DOCUMENTATION CENTER (DDC)

⊠	1.		AVAILABLE ONLY FOR REFERENCE USE AT DDC FIELD SERVICES. COPY IS NOT AVAILABLE FOR PUBLIC SALE.
	2.		AVAILABLE COPY WILL NOT PERMIT FULLY LEGIBLE REPRODUCTION. REPRODUCTION WILL BE MADE IF REQUESTED BY USERS OF DDC.
		A. (COPY IS AVAILABLE FOR PUBLIC SALE.
		B. (COPY IS NOT AVAILABLE FOR PUBLIC SALE.
	3.		LIMITED NUMBER OF COPIES CONTAINING COLOR OTHER THAN BLACK AND WHITE ARE AVAILABLE UNTIL STOCK IS EXHAUSTED. REPRODUCTIONS WILL BE MADE IN BLACK AND WHITE ONLY.

TSL-121-2/65

DATE PROCESSED: 7-3-65
PROCESSOR: 2-2

REPORT A65-3

SOLID PROPELLANT COOL GAS GENERATOR*

by

THOMAS Q. CICCONE JAMES F. KOWALICK

AMCMS Code 5900.22.01105.01 AF MIPR 5-00072

Pitman-Dunn Research Laboratories FRANKFORD ARSENAL Philadelphia, Pa. 19137

June 1965

^{*}This paper was presented at the 21st Interagency Solid Propulsion Meeting, at San Francisco, California, June 1965.

MASTRACT

Solid propellants have been used as sources of high-pressure gases for comparatively short periods of time for running turbines, starting turbo-machines, atomizing liquids, operating pneumatic power tools and, more recently, inflating life rafts, balloons, and collapsible wing structures. One of the major problems encountered in inflatable devices has been the degradative effect of high-temperature propellant gas on materials, resulting in rupture and/or burning of fabric structures. This problem has been eliminated through the use of a packed-bed chemical heat exchanger, thereby reducing effluent gas temperature to an acceptable level.

A method is described for producing rapid and efficient cooling by this technique, such that the temperature of the cooled gases is essentially independent of both flame temperature and ambient temperature. The method involves passing the high-temperature gas through bulk arrangements of chemicals which decompose endothermically and produce further gases that mix with the propellant gases. The resultant mixture has increased mass and a greatly reduced temperature.

Advances in chemical coolant-heat exchanger technology as related to propellant gas-generating systems are described. In particular, design data for specific propellant-coolant systems are discussed, with emphasis on their use for inflatable devices.

INTRODUCTION

It has long been apparent that gases formed from the combustion of solid propellants would offer a convenient means for inflating aircraft flotation bags, life rafts, collapsible structures and supports, weather balloons and the like. However, the high temperatures of gases so formed result in thermal erosion of hoses, rubber valve materials, and fabric walls, causing eventual rupture and/or combustion of the inflatable device. There have been several approaches to the basic problem of reducing the propellant gas temperature. All such approaches provide a heat sink to accumulate thermal energy from the higher-temperature propellant gases. These approaches differ chiefly by the ease of which heat transfer is accomplished.

Several investigators have passed propellant combustion products through a bed of inert metallic particles. Total heat transferred is limited here, however, to the sensible heat absorbed by the bed.

Sutter, et.al., used the primary propellant gas in an ejector to entrain a secondary stream of ambient air, such that downstream mixing would provide a relatively lower-temperature gas mixture of increased mass(see sketch, Figure 1). The mass ratio of secondary to primary gas approaches zero, however, for downstream pressures much greater than 6 psig. Furthermore, ejectors open to the ambient environment could not be used where there was danger of water or other liquids being entrained by the primary gas stream.

In a classic letter patent, Maurice and Tavemier disclosed a method whereby the high-temperature product gases pass through a packed, solid chemical bed. The nature of the chemical is such that it undergoes a chemical reaction, producing still further gases that mix with the combustion gases. The result is a gaseous mixture of increased mass and considerably lower temperature than that of the original propellant combustion gases. Outlet gas temperatures as low as 140°F have been reported, using this method. Figure 2 is a sketch of such a system, as used to determine the feasibility of operating a standard pneumatic grinder. This grinder operated for 80 seconds, remaining cool at a generator pressure of 500 psi.

^{*} Numbers in brackets refer to references at the end of this paper

THE CHEMICAL HEAT EXCHANGE PROCESS

The process by which high temperature propellant gas exchanges thermal energy with solid chemicals is exemplified by Figure 3.




Figure 3. Thermal Boundary Layer along a Coolant Platelet

The sketch here shows a gas stream flowing by a chemical "coolant" crystal having a platelet form, with a flow direction that is one-dimensional. Energy is transferred from the gas to the coolant platelet through a thermal boundary layer, across which a temperature profile has been established. The gas temperature at the surface, T_s, is slightly greater than the decomposition temperature of the coolant, T_d, while the boundary temperature, T_i, is equal to that of the bulk stream. The average gas temperature of the gas mixture leaving the boundary layer is differentially less than the incoming gas bulk temperature. This difference is an indication of the rate of energy being transferred to the platelet. According to Schlichting's solution of this problem, (3) the heat transfer coefficient, h, across a laminar thermal boundary layer for a flat plate (assuming no mass transfer) can be obtained from the relation

$$Nu = 0.664 (Pr)^{1/3} (Re)^{1/2}$$
 (1)

where Nu = Nusselt Number = hL/k
Pr = Prandtl Number = C u/k
Re = Reynolds Number = VinL(/u

Similar solutions exist for other shapes. Although the assumptions of laminar, steady-state flow and no mass transfer do not strictly apply here, this expression yields an approximate heat transfer coefficient which serves as a starting point in the absence of an exact solution. While the properties of the propellant gas influence the overall heat transfer rate, these are more or less fixed by the choice of propellant. Therefore, it is the orientation, shape, and thermochemistry of the chemical coolant particles that have a controlling influence on the heat transfer process. Qualitatively speaking, the ideal coclant, from the standpoint of obtaining high rates of energy transfer, should have the following characteristics:

- 1. Low decomposition temperature
- 2. High thermal conductivity
- 3. High endothermic heat of reaction
- 4. High surface-to-volume ratio
- 5. Long dimension in the flow direction

Such combinations are difficult to find in practice, and it is more often the case that several of these characteristics must be compromised because of stability, toxicity, and compatability considerations.

CHEMICAL COOLANTS

Representative chemical coolants and their properties are tabulated in Table I. Note that endothermically-reacting mixtures may be considered for coolants, as is illustrated by the anhydrous copper sulfatesulfur mixture, which decomposes by the reaction*

This reaction results in two moles of gas for every 30 Kilocalories of heat absorbed, or 0.067 moles gas/Kcal.

Table I. Coolant Properties

Ammonium Carbonate	9.15	136°F	16 Kcal
Ammonium Carbamate	13.8	140°F	38 Kcal
Gelatinized Water	2.0	212°F	9.7Kcal
Ammonium Hydrosulfide	14.1	212°F	23 Kcal
Sulfur/Copper Sulfate	3.2		30.5Kcal
	Std. Cubic Feet	Trensitional	Molar Transition
	per Lb. Coolant	Temperature	or Reaction Energy

Ellern, Modern Pyrotechnics, Chem. Pub. Co., New York, p. 173 (1961)

The general coolant decomposition reaction can be written

(X) Coclant + (Y) Calories - (Z) Gas + (S) Solid

One of the most common coclamis, armonium carbonate, (NH) 2003.H20, has characteristics approaching those of an ideal coolant. Its decomposition temperature of 130°F is low enough, and heat of decomposition sufficient to be a very efficient heat exchange agent. Furthermore, it is stable at most environmental temperatures under hermatically scaled conditions. Unless water vapor is undesirable as a product for a particular application, industrial grade summonium carbonate can be used. The industrial grade compound is hydrated and has one molecule of water loosely bound to its platelet atructure. Armonium carbonate decomposes completely to gases upon molar energy absorption of 16 Kcal.

Another compound, ammonium carbamate, (NH40CONH2), appears at first glance to have superior coclant properties to ammonium carbonate, since it decomposes completely into non-aqueous gases However, experimental findings indicate that (1) sublimation is an intermediate process preceding gaseous decomposition, and (2) the sublimed compound, when carried downstress to a lower-temperature environment, reverts to the condensed solid. This process results in an apparent molar gas delivery rate greater in magnitude than the net rate. As applied to an inflatable system, this would require initial over-pressurization for any specified final pressure.

When high-temperature gas exchanges heat with an excess of coolant, the resulting gas temperature approaches the coolant transitional temperature. For example, when ammonium carbonate, (FH_b)₂CO₃-H₂O₃ is employed as the coolant, exit gas temperature is approximately 130°F. If there is insufficient gas-to-coolant contact, the resulting gas temperature will be somewhat higher than the coolant transitional temperature, the departure from this temperature being dependent on the degree and duration of contact.

An energy balance is required to determine the minimum quantity of coolent necessary to absorb the available energy from propellant combustion. This quantity is approximated by the ratio Q/χ , where Q is the heat of explosion of the propellant, and χ is either the transitional energy or heat of reaction of the coolent. Under actual conditions, more coolent is required than is determined by this ratio, since the assumptions for minimum quantity are (1) an infinite gas-coolent contact time (or infinite coolent decomposition rate), and (2) negligible

secrible heat effect. In practice, the best method for determining this ratio is to conduct a series of tests with variable coolant-to-propellant weight ratios.

MECHANICAL DESIGN OF THE BED

The design of the coolsn's bed must take into consideration to phenomens which are inherent in packed bads. One of these, "channeling", is characterized by a large fraction of the total flow following the same route through the bed, each increment of flow increasing the cross-sectional area of the channel. Consequently, very little heat is transferred to the solid collant particles, and the outlet gas temperature is much higher than for the case of intimate gas coolent contact through the bed. Undesirable effects of channeling in packed bads can be reduced mechanically by (1) dispersing the gas phase through the bed with appray notates or with smiol perforated tubes, or (2) changing the direction (and increasing flow distance) of the gas by using baffles. Both of these techniques provide increased gas-solid contact area.

The second phenomenon, "blocking", is characterized by solid particles building up a restriction - and ultimately, a complete barrier - to gas flow. Under these conditions, pressure rises as in a closed bomb. Pressure is relieved only if the blockage is broken down or if a safety disk reptures in the generator. Blocking can be reduced by rounding all flow boundaries and by maximizing the size of outlet porce.

A TYPICAL CHEMICAL COCLAMF GAS GENERATOR

Figure 4 is a sketch of a cool gas generator capable of inflating a one-men life raft in less than ten (10) seconds to an subject pressure of 2 pounds per square inch (gauge) .(4) The ignition train is commenced by a percussion primer which, in turn, ignites a flash igniter mixture adjacent to the propellant. When pressure in the propellant chamber rises to a predetermined value, a disk in the central piatom ruptures, permitting propellant gas to flow from the piston, down a perforated spray-tube, and radially outward through the packed chamical coolant bed. The spray tube has washir-type balfles, ettached an equi-distant intervals, to change the flow direction and increase flow distance. A multi-verforated "collector" cylinder covers the outlet port. Cas flows out through this cylinder and into the inlet port of the inflatebre item. Figure 5 is a pressure-time relationship for an actual i flation. The conlant pressure indicated was measured at She outlet port.

Similar cool gas generators are being tested for use with threeman and twenty-man life rafts, and Rogallo-type inflatable wing
structures. All current cool-gas generators are lighter in weight
than comparable compressed gas systems. Unlike the compressed gas
models, the cool-gas generators cannot be depressurized, saids
initial interior pressure is ambient. Because of this factor,
the need for compressor support equipment is eliminated. Furthermore, flow problems experi need with compressed-gas systems at low
temperatures are non-existant, since the range of exit gas temperature in cool-gas generators is marrow.

Poture work is oriented toward lighter-weight, cool-gas generators with operation over a broader range of environmental conditions. Three main detegories of this effort are coolants, hardware design and materials.

Coolents

Chemical compounds and mixtures are being sought, studied, and classified, using as guidelines the following paremeters:

- 1. Moles of gas formed/Koa) of heat absorbed
- 2. Stability at elevated temperature
- 3. Tronsitional (or reaction) temperature
- h. Hygroscopicity
- 5. Heat of Oscomposit (on for transition)
- 6. Physical form
- 8. Compatibility with other parts of the system

Berdware Design

Novel types of beffles and dispersal aids are being tested and studied to determine the physical arrangements which yield an optimum degree of gas-solid contact. In addition, outlet port design is being studied in an attempt to eliminate blockage problems and retain the coolant particles in the contant chamber.

Materials

Insulation material will be selected to reduce the temperature of the confining metal walls, thus permitting a further hardware weight reduction. Compatibility studies are to be conducted to determine any interaction between coolant, propeliant, igniter, and hardware.




Figure 1. Ejector Test System




Figure 2. Propellant Gas Jenerator for Operating Possmetic Power fools




Figure 4. Typical Cool Oss Cenerator(Longitudinal Cross Section)




Figure 5. Pressure-fise Schavior of Cool Gas Generator

HEFE RANCES

- 1. Sutter, R. & Kowalick, J., "Cas Generator for Operating Tools", Frankford Arsenal Memorandum Report M52-7-1, February 1962.
- 2. Maurice, P. & Tavernier, P., "Gas Generator", U.S. Patent No. 2,779,281, January 29, 1957.
- 3. Schlichting, H., Boundary Layer Theory, Lth Ed. (Translation), McGraw-Hill, (1960).
- h. Perkins, W.E. & Kowaliok, J.F., "Propellant Gas Generator", Docket No. AMSNU-FA 1318, U. S. Patent Office